|     |   | Bulletin No:     | B408CRM110-0     |
|-----|---|------------------|------------------|
| CRM | CHANCE RIDES MANUFACTURING, INC.<br>4200 Walker<br>Wichita, KS 67277-2328<br>U.S.A. | Release Date:    | November 6, 2002 |
|     |   | Effective Date:  | Immediately      |
|     |   | Supersedes:      | B408CRM106-0     |
|     | U.S.A.<br>Phone: 1-316-942-7411+FAX:1-316-942-2012                                  |                  |                  |
|     | Website: www.rides.com  | Completion Date: | February 6, 2003 |
|     | E-mail: rides@rides.com   | Page:            | 1 of 8           |
|     |   |                  |                  |

## **SERVICE BULLETIN**

Ride Manufacturer: CHANCE RIDES, INC.

Affected Production Dates: All

Ride Name: CHAOS

Affected Serial Nos.: All Units

Model No.: 408

Abstract of Issue:

Sweep Rework Kit

Reason For Release:

Service bulletin B408CRM106-0 is superseded by this bulletin and is no longer in effect.

Chance Rides Manufacturing, Inc. has become aware of cracks in the sweeps of at least one CHAOS amusement ride. Failure of a sweep could result in serious injury to passengers and/or bystanders. A kit has been developed to reinforce the sweeps.

Action to be Taken:

Chance Rides Manufacturing, Inc. requires all owner/operators of the above noted CHAOS rides to order and install the Sweep Rework Kit, part number K408CRM110-0, within 90 days of the release date of this bulletin. The kit includes all necessary parts to rework one complete ride. Rework instructions are provided in this bulletin. The kit will be offered at a reduced price if ordered within this 90 day period.

After the Sweep Rework Kit is installed, the sweeps must be inspected annually as described in this bulletin.

All work must be performed by qualified personnel, capable of understanding the function of the parts and their proper installation. Use only those components authorized, specified or provided by Chance Rides Manufacturing, Inc. All applicable OSHA safety standards and safe industry practices must be observed.

Observe all safety information contained in the manufacturer's manuals. Make available this bulletin and all related technical information to personnel using the equipment.

Chance Rides Manufacturing, Inc. issues notifications for the benefit of owners of amusement rides manufactured by Chance Rides Manufacturing, Inc. As a service to the industry, and in the interest of employee and public safety, Chance Rides Manufacturing, Inc. also issues notifications for the benefit of owners of amusement ride equipment for which the manufacturer no longer exists, such as the Allan Herschell Company, Chance Manufacturing Co., Inc., Chance Rides, Inc., etc. In doing so, Chance Rides Manufacturing, Inc. does not assume liability for losses associated with amusement ride equipment built by manufacturers other than Chance Rides Manufacturing, Inc.

|  | CHANCE RIDES MANUFACTURING, INC.          | Bulletin No: B408CRM110-0         |  |
|--|---|-----------------------------------|--|
|  |   | Release Date: November 6, 2002    |  |
|  | 4200 Walker<br>Wichita, KS 67277-2328     | EffectiveDate: Immediately        |  |
|  | Wichita, KS 67277-2526                    | Supersedes: B408CRM106-0          |  |
| CHANCE RIDES MANUFACTURING, INC.   | Phone: 1-316-942-7411+FAX: 1-316-942-2012 |                                   |  |
|  | Website: www.rides.com                    | Completion Date: February 6, 2003 |  |
|  | E-mail: rides@rides.com                   | Page: 7 of 8                      |  |
| Ride Manufacturer: CHANCI  | E RIDES, INC. Affected Production Da      | tes: All                          |  |
| Ride Name: CHAOS   | Affected Serial Nos.:                     | AllUnits                          |  |
| Model No.: 408   |   |                                   |  |
| Detail of Issue (continued):   |   |                                   |  |
|  |   | .7%                               |  |
|  |   | Center hub of ride                |  |
| Doubler Plates<br>part number 408-225-02                                     | 6   |                                   |  |
| (4 places per sweep, 72 to   |   |                                   |  |
|  | 1/8                                       | E7018                             |  |
| · ·  |   |                                   |  |
|  |   | 29<br>1                           |  |
|  |   |                                   |  |
|  |   |                                   |  |
|  |   |                                   |  |
|  |   | ergé <sup>1</sup>                 |  |
|  |   |                                   |  |
|  |   |                                   |  |
|  |   |                                   |  |
|  |   |                                   |  |
|  |   |                                   |  |
|  |   |                                   |  |
| Note the position of this "notched"  |   |                                   |  |
| area of each doubler plate. It must<br>be toward the center hub of the ride. |   |                                   |  |
| 3/4"   |   |                                   |  |
|  |   |                                   |  |
|  |   |                                   |  |
|  |   |                                   |  |
|  | 1/2"                                      |                                   |  |
|  | ۰   |                                   |  |

|  |  | Bulletin No: B408CRM110-0           |
|--|--|-------------------------------------|
|  | CHANCE RIDES MANUFACTURING, INC.<br>4200 Walker<br>Wichita, KS 67277-2328                                  | INC. Release Date: November 6, 2002 |
|  |  | Effective Date: Immediately         |
|  |  | Supersedes: B408CRM106-0            |
|  | U.S.A.<br>Phone: 1-316-942-7411 • FAX: 1-316-942-2012<br>Website: www.rides.com<br>E-mail: rides@rides.com |                                     |
| CHANCE RIDES MANUFACTURING, INC.                                     |  | Completion Date: February 6, 2003   |
|  |  | Page: 6 of 8                        |
| Ride Manufacturer: CHANCE RIDES, INC. Affected Production Dates: All |  |                                     |
| Ride Name: CHAOS   | Affected Serial  | Nos.: AllUnits                      |

Model No.: 408


Detail of Issue (continued):


## SWEEP REWORK PROCEDURE

After inspecting all sweeps to verify that no indications exist, locate and weld the doubler plates on all sweeps as shown in the following illustrations (four places on each sweep). Note the position of the "notched" area of each doubler plate, which is located toward the center hub of the ride. If necessary, grind the existing welds to allow the doubler plates to lay flat against the sweeps.

IMPORTANT: All welding must be performed in accordance with American Welding Society (AWS) D1.1.

| all service and a solution of the service and a solution of the service and the service and the service and the  |
|--|
|  |
| - See enlarged details of this   |
| See enlarged details of this area on following pages.  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
| and the second |





|   |  |  | Bulletin No: B408CRM110-0                                      |
|---|--|--|--|
|   |  | CHANCE RIDES MANUFACTURING, INC.   | Release Date: November 6, 2002                                 |
|   |  | 4200 Walker<br>Wichita, KS 67277-2328  | EffectiveDate: Immediately                                     |
|   |  | U.S.A.   | Supersedes: B408CRM106-0                                       |
|   | CHANCE RIDES MANUFACTURING INC.  | Phone: 1-316-942-7411 • FAX: 1-316-942-2012  | · · · · · · · · · · · · · · · · · · ·                          |
|   |  | Website: www.rides.com   | Completion Date: February 6, 2003                              |
|   |  | E-mail: rides@rides.com  | Page: 3 of 8   |
|   | Ride Manufacturer: CHANCI  | E RIDES, INC. Affected Production Da   | tes: All   |
|   | Ride Name: CHAOS   | Affected Serial Nos.:  | AllUnits   |
|   | Model No.: 408   |  |  |
|   | Detail of Issue (continued):   |  |  |
|   |  | WEEPSFORREWORK   | 1994 aug   |
|   | Modify all mounting channel<br>for the upper doubler plates  | els for the sweep insert panels as shown. Th<br>Also, modify all sweep insert panels as sl   | is is necessary to provide clearance<br>nown on the next page. |
|   |  |  |  |
| - |  |  |  |
|   |  | and a second sec |  |
|   | Locate new hole 3" in from existing hole   |  |  |
|   | (toward hub). Drill 0.34<br>through both legs of   |  |  |
| ~ |  |  |  |
|   | Existing hole  |  | $2/\sqrt{2}$   |
|   |  |  | E HANN   |
|   |  |  |  |
|   | E Contraction of the second seco |  |  |
|   |  |  |  |
|   |  |  |  |
|   |  |  |  |
|   | Shorten this end of  |  |  |
|   | channel by 3"  |  |  |
|   |  |  |  |
|   |  |  |  |
|   | Remove this mounting ch  |  |  |
|   | move in (toward hub) 3". S   |  |  |
|   | 3/16 x 7/16" steel Mo<br>(Chance part number 66  |  |  |
|   |  |  |  |
|   |  |  |  |

~

|  |   | Bulletin No:     | B408CRM110-0     |
|--|---|------------------|------------------|
|  | CHANCE RIDES MANUFACTURING, INC.<br>4200 Walker<br>Wichita, KS 67277-2328<br>U.S.A. | Release Date:    | November 6, 2002 |
|  |   | Effective Date:  | Immediately      |
|  |   | Supersedes:      | B408CRM106-0     |
| CHANCE RIDES MANUFACTURING, INC.                                     | 0.5.A.<br>Phone: 1-316-942-7411 • FAX: 1-316-942-2012                               |                  |                  |
|  | Website: www.rides.com  | Completion Date: | February 6, 2003 |
|  | E-mail: rides@rides.com   | Page:            | 2 of 8           |
| Ride Manufacturer: CHANCE RIDES, INC. Affected Production Dates: All |   |                  |                  |
| Ride Name: CHAOS   | Affected Serial Nos.:   | AllUnits         |                  |
| Model No.: 408   |   |                  |                  |
| Detail of Issue (continued):   |   |                  |                  |
| SWEEP INSPECTION PRIOR TO REWORK                                     |   |                  |                  |

Carefully inspect all sweeps for cracks or other indications. Look at the welds and parent metal at all joints, paying particular attention to the areas where the gussets will be installed.

## DO NOT INSTALL THE REWORK KIT IF THERE ARE CRACKS IN THE SWEEP UNTIL REPAIRS SPECIFIED BY CHANCE RIDES MANUFACTURING, INC. ARE MADE.

• If any indications are found, DO NOT CONTINUE OPERATION OF THE RIDE. Contact the Chance Customer Service Department immediately for instructions on further action to be taken.

DO NOT ATTEMPT TO WELD OR OTHERWISE REPAIR THE SWEEPS, EXCEPT AS SPECIFICALLY INSTRUCTED BY CHANCE RIDES MANUFACTURING, INC.

• If no indications are found, order and install the Sweep Rework Kit, part number K408CRM110-0 using the instructions on the following pages of this bulletin.

## **ANNUAL INSPECTION OF SWEEPS**

After Sweep Rework Kit is installed, visually inspect the sweeps **annually** for damage, cracks, or other indications. Look at the welds and parent metal at all joints. If any indications are found, contact the Chance Customer Service Department immediately. **DO NOT CONTINUE OPERATION OF THE RIDE**.

